

LEAD TITANATE

SAFETY DATA SHEET

DATE OF LAST REVISION: 07/10/15

Section 1: Identification

Product Name: Lead Titanate

Company: Angstrom Sciences, Inc.
40 South Linden Street
Duquesne, PA 15110

For more information call: 412-469-8466
(Monday - Friday 9:00-5:00 EST)

Section 2: HAZARD IDENTIFICATION

Signal Word: Danger



Hazard Statements:

H300: Fatal if swallowed
H332: Harmful if inhaled
H360: May damage fertility or the unborn child
H373: May cause damage to organs through prolonged or repeated exposure

Precautionary Statements:

P260: Do not breathe dust/fume/gas/mist/vapours/sprays
P281: Use personal protective equipment as required
P301 + P310: If swallowed: Immediately call a Poison Center or doctor/physician
P405: Store locked up
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 3
Flammability: 0
Physical: 1

LEAD TITANATE
SAFETY DATA SHEET

Section 3: Composition/Information on Ingredients

Chemical characterization: Ceramic

Additional Names: None

Percentage: 100 wt%

CAS# Description: 12060-00-3

EC number: 235-038-9

Section 4: FIRST AID MEASURES

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None

Important Symptoms: None

Eye Contact: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Skin Contact: Wash affected area with mild soap and water. Remove any contaminated clothing.

Inhalation: Remove to fresh air. If required, give artificial respiration. Seek medical advice.

Ingestion: Give one to two glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person.

Section 5: FIRE FIGHTING MEASURES

Flammability: Non-Flammable, Except as powder

Special Fire Fighting Procedure: Use full-face, self contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

Extinguishing Media: Do not use water for metal fires - use CO₂, sand, extinguishing powder.

Section 6: ACCIDENTAL RELEASE MEASURES

If material is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

Section 7: HANDLING AND STORAGE

Handling Precautions for safe handling: Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in Section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

LEAD TITANATE
SAFETY DATA SHEET

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Permissible Exposure Limits:	0.05 Mg/M ³ as PbTiO ₃ , long-term value
Threshold Limit Value:	0.05 mg/m ³ as PbTiO ₃ , long-term value
Special Equipment:	None
Respiratory Protection:	Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protective Gloves:	Rubber Gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Powder
Color:	Yellow
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	7.52 g/cc
Molecular Weight:	303.10 g/mol

Section 10: STABILITY AND REACTIVITY

Reactivity:	Oxidizing agents
Chemical Stability:	Stable under recommended storage conditions
Incompatible Conditions:	None
Hazardous Decomposition Products:	Lead oxide fume, Titanium oxides

Section 11: TOXICOLOGICAL INFORMATION

Potential Health Effects:

Eyes: May cause irritation

Skin: May cause irritation

Ingestion: May cause irritation

Inhalation: May cause irritation

Chronic: N/A

LEAD TITANATE
SAFETY DATA SHEET

Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by routes of administration, at sites, of histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or level of exposure. NTP-R: Reasonably anticipated to be a carcinogen, limited evidence of carcinogenicity from epidemiologic studies. EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies. IARC-2A: Probably carcinogenic to humans; limited human evidence; sufficient evidence in experimental animals.

Section 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: High

Persistence Bioaccumulation Toxicity: No

Very Persistent, Very Bioaccumulative: No

Notes: Very toxic for aquatic organism.

May cause long lasting harmful effect on aquatic life.

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach any water sources.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Avoid transfer into the environment.

Section 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, national, and international regulations

LEAD TITANATE
SAFETY DATA SHEET

Section 14: TRANSPORT INFORMATION

Hazardous: Hazardous as powder only



Hazard Class: 6.1 Toxic substances
Packing Group: II
UN Number: UN3288
Proper Shipping Name: Toxic solid, inorganic, n.o.s. (Lead titanium oxide)

Section 15: REGULATORY INFORMATION

Sec 302 Extremely Hazardous: No
Sec 304 Reportable Quantities: N/A
Sec 313 Toxic Chemicals: Yes

Section 16: OTHER INFORMATION

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.